

2204 - FINISHING SCHEDULE

[illegible]

		QUANTITIES AS PER PLAN		ADMINISTRATION LARGE					EDUCATION SPACE			MULTI-PURPOSE HALL				ABLUTIONS														
				ADMIN. SPACE KITCHEN	ADMIN. SPACE SICK ROOMS	STAFF MALE ABLUTION	STAFF FEMALE ABLUTION	STAFF DISABLED ABLUTION	SURGE LAB + H.O.D	MULTI PURPOSE TOILET / MENSTRUATION GATEWAY SCULLERY	KITCHEN DUTY ROSS SCULLERY	CHANGE ROOM 1	CHANGE ROOM 2	MALE ABLUTION	TUCKSHOP/ KITCHEN	FEMALE ABLUTION	MALE ABLUTIONS	FEMALE ABLUTIONS	PARAPLEGIC WC	LOCKER ROOMS						BLOCK-AA GUARD HOUSE	BLOCK-UZ REFUSE YARD	GENERAL SITE		
WATERBORNE SCHOOLS ONLY																														
SANITARY FITTINGS	SF1	STANDARD WC			●	●											●	●	●							SANITARY PLUMBING/ DRAINAGE NOTES: ALL WASTE DRAINAGE MANAGEMENT TO BE DONE BY CIVIL ENGINEER AND TO BE COORDINATED BY ARCHITECT. ALL SANITARY FIXTURES TO COMPLY WITH THE RELEVANT "SANS 10400 part P" AND ALL ITS NORMATIVE REFERENCES. ALL TAPS TO COMPLY WITH SABS 226, SANS 1480, SANS ISO 8001 & SANS ISO 228				
	SF2	PARAPLEGIC WC					●										●	●								VITREOUS CHINA CLOSE COUPLED 90° OUTLET OPEN RIM FRONT SINGLE SLUSH SUITE COMPLETE WITH LID AND FITMENTS. 6/3 LITRES CISTERN. INSTALLATION TO INCLUDE A 1½ x 1¼" ANGLE REGULATING VALVE. WITH 350mm LONG SERVICE CONNECTION TUBE AND CAPNUT. SILICONE SEALANT TO BE USED BETWEEN THE PAN AND WALL SURFACES.				
	SF3	STAINLESS STEEL URINAL															●									REGULATING VALVE. WITH 350mm LONG SERVICE CONNECTION TUBE AND CAPNUT. SILICONE SEALANT TO BE USED BETWEEN THE PAN AND WALL SURFACES.				
	SF4	PORCELAIN URINAL				●																				FLAT BACK WALL MOUNTED STAINLESS STEEL URINAL WITH BUILT IN TIPPING TANK AND ADJUSTABLE DRIP COOK. LENGTHS BETWEEN 640mm & 1830mm. TO SUIT PLANS.				
	SF5	PORCELAIN WHB			●	●	●	●											●	●	●	●	●	●		415x275x315mm Flaback top inlet white vitreous china wall mounted urinal including 38mm chromium plated domical grating, fixed on and including two hanger brackets. To be fitted with chrome plated bottle trap with 75mm deep seal with 40mm outlet for 40cm chrome plated 200mm long tail pipe with all flanges and capnuts and exposed chrome flush valve with ¾" Ball-B-Stop control inlet, wall range, integral vacuum breaker, and non-hold-open feature				
	SF6	SINGLE SINK UNIT		●								●	●														510x405mm VITREOUS ENAMEL WHB WITH 3 SEMI-PUNCHED TAP HOLES. 2x BOLTED AT 800mm FROM FFL TO WALL - COLOUR WHITE.			
	SF7	LABORATORY BASIN								●																	460mm Wide x 800mm LONG STAINLESS STEEL SINGLE BOWL DROP IN SINK UNIT. COMPLETE WITH DRAIN AND RUBBER TRAP.			
	SF8	WASH TROUGH (SCULLERY)											●														LABORATORY SINK, WITHOUT OVERFLOW & WITH CENTRE END WASTE OUTLET. TO BE USED WITH ACID RESISTANT WASTE. FIXED UNDER COUNTER TOP.			
	SF9	FLOOR DRAIN											●												●		DOUBLE 1030X430mm STAINLESS STEEL WASH TROUGH FIXED TO WALL AS PER MANUFACTURERS SPECIFICATION			
	SF10	DOUBLE SINK UNIT											●					●									GRADE AISI 304 STAINLESS STEEL, 50mmØ FLOOR DRAIN WITH ROUND TOP FLANGE AND ROUND COVER PLATE WITH HOLES, OVERALL SIZE 150mm DIAMETER x 165mm DEEP, WITH 50.8mm DIAMETER VERTICAL WASTE OUTLET CONNECTED TO WASTE PIPE			
	SF11	SHOWER DRAIN												●								●				●	460mm wide x 1160mm LONG STAINLESS STEEL DOUBLE BOWL DROP IN SINK UNIT. COMPLETE WITH DRAIN AND RUBBER TRAP.			
TAPS	T1	TAPS - FOR PORCELAIN WASH BASINS			●	●	●					●	●	●	●	●	●	●	●	●							SHOWER P-TRAP WITH ROUND STAINLESS STEEL GRATING, PLACED A MINIMUM OF 200mm AWAY FROM BRICKWORK WITH SHOWER FLOOR LAID TO FALL TO OUTLET.			
	T2	TAPS - FOR PARAPLEGIC WASH BASINS																		●							SQUARE-TYPE PILLAR TAP. CHROME - COLD WATER ONLY. WITH GOLD INDICE. ⅜" BSP MALE INLET WITH FLANGED BACKOUT AND ⅝" HEAVY PATTERN LOW RESISTANCE FOR LOW PRESSURE OR HIGH WATER DEMAND INSTALLATIONS. INCLUDING ANGULAR REGULATING VALVE WITH SLIDING WALL FLANGE AND ⅞" FEMALE IRON 400mm LONG FLEXIBLE INLETS. ALL TO BE SABS APPROVED AND TO SANS Z26.			
	T3	TAPS - LABORATORY SINKS								●																	WIRED ACTION SQUARE-TYPE PILLAR TAP. CHROME - COLD WATER ONLY. WITH ⅜" TURN CERAMIC DISC. BLUE INDICE. ⅜" BSP MALE INLET. FLANGED BACKOUT. INCLUDING ANGULAR REGULATING VALVE WITH SLIDING WALL FLANGE AND ⅞" FEMALE IRON 400mm LONG FLEXIBLE INLETS. ALL TO BE SABS APPROVED AND TO SANS Z26.			
	T4	TAPS - KITCHEN SINKS		●									●														CHROME PLATED SINK PILLAR TAP - COLD WATER ONLY. WITHOUT SWIVEL OUTLET. WITH ⅜" MALE INLET. TO BE PROVIDED WITH CHROME SWIVEL SWAN NECK OUTLET COMPLETE WITH SWAGED NOZZLE, O-RINGS, FRICTION RING AND 1.15x18 TPI SWIVEL NUT. INCLUDING ANGULAR REGULATING VALVE WITH SLIDING WALL FLANGE AND ⅞" FEMALE IRON 400mm LONG FLEXIBLE INLETS. ALL TO BE SABS APPROVED AND TO SANS Z26.			
	T5	TAPS - SCULLERY WASH TROUGH												●													⅞" SWIVEL SWAN NECK PILLAR TAP MIXER WITH AERATED OUTLET, INCLUDING ½ PAIR OF 400mm LONG FLEXIBLE HOSE CONNECTORS AND CORRESPONDING ANGULAR REGULATING VALVES. ALL TO BE SABS APPROVED AND TO SANS Z26.			
	T6	TAPS - WALL MOUNTED BIB TAP										●	●														WALL TYPE SINK MIXER WITH AERATED SWIVEL OUTLET. ⅜" MALE INLETS, WITH "S" CONNECTIONS. INCLUDING ⅞" HEAVY PATTERN, LOW RESISTANCE HEAD PART FOR LOW PRESSURE OR HIGH WATER DEMAND INSTALLATIONS. ALL TO BE SABS APPROVED AND TO SANS Z26.			
	T7	TAPS - FREE STANDING GARDEN BIB TAP																							●		'WALL MOUNTEd HOSE BIB TAP BRASS INCLUDES ⅜" HOSE UNION, WINGNUT, LINING FOR ⅜" HOSE, AND ⅞" BSP MALE INLET. ALL TO BE SABS APPROVED AND TO SANS Z26.			
	T8	DRINKING FOUNTAIN																							●		FREE STANDIND HOSE BIB TAP BRASS INCLUDES ⅜" HOSE UNION, WINGNUT, LINING FOR ⅜" HOSE, AND ⅞" BSP MALE INLET. ALL TO BE SABS APPROVED AND TO SANS Z26.			
ACCESSORIES	AC1	MIRRORS			●	●	●						●	●	●	●	●	●	●	●	●						1200mm x 300 Ø CIVIC DRINKING FOUNTAIN, APPROXIMATELY 880mm TO BE ABOVE GROUND. 4 x 1 TAP AND CHILD STEP TO BE INCLUDED. 1200mm wide AREA TO BE PAVED AROUND DRINKING FOUNTAIN. NOTE DO NOT LIFT FOUNTAIN USING THE TAP. IT WILL BREAK.			
	AC2	ROLL HOLDER			●	●	●	●					●	●	●	●	●	●	●	●	●	●					600 x 400 x 5mm SILVER BACKED GLASS MIRROR WITH BEVELED EDGES. FIXED WITH 4 x CP DOME HEAD AND BRASS SCREWS.			
	AC3	SOAP DISH			●	●	●	●					●	●	●	●	●	●	●	●	●	●					CHROME PLATED TOILET ROLL HOLDER (HEAVY DUTY) 130mm (L) x 83mm (W) X 25mm (H) WITH WHITE PVC ROLL. FIXED USING PLUGS AND SCREWS			
	AC4	TOWEL RAIL			●	●	●	●					●	●	●	●	●	●	●	●	●	●					WALL MOUNTED, SINGLE CERAMIC SOAP DISH			
	AC5	SANITARY BIN			●	●	●	●					●	●	●	●	●	●	●	●	●	●					450mm LONG, ROUND CP HAND TOWEL RAIL			
	AC6	HELPING HAND HARDWARE																									WALL MOUNTED SANITARY TOWEL DISPOSAL BIN MANUFACTURED FROM 18 / 10 STAINLESS STEEL WITH A DEEP DRAWN LID WELDED CONTAINER AND STAINLESS STEEL CONTINUOUS PIANO HINGE - SATIN FINISH			
	AC7	WATER HEATER		●													●	●	●	●	●	●					STAINLESS STEEL GRAB RAILS - 32mm DIA. - 1 x DOGLEG SIDE RAIL WITH CENTRE FLANGE. 1 x 750mm LONG BACK RAIL INSTALL AS PER DETAILS.			
	AC8	WATER HEATER																				●					5 LITRES, KYWIBOIL OR EQUAL AND APPROVED. WALL MOUNTED INSTANT HOT WATER DISPENSER, COMPRISING: S/S OUTER CASING, TAP, FULL AUTOMATIC FUNCTION FOR SINGLE PHASE ELECTRICITY, CONNECTED TO THE MAINS AND TO WATER SUPPLY, OVERFLOW CONNECTED TO SINK DRAINAGE. ALL TO MANUFACTURERS SPECIFICATIONS AND TO DETAILS.			
																										HIGH PRESSURE SINGLE PHASE INSTANT WATER HEATING UNIT SUITABLE FOR SHOWERS				

SANITARY WARE SCHEDULE N.T.S.

NO.	DATE	REVISION	DRAWN
A	2017-03-16	ISSUED FOR MEASURE	OM
B	2017-06-05	(I) MULTIPURPOSE HALL ADDED TO SCHEDULE (II) ISSUED FOR MEASURE	SG
C	2017-07-27	(I) MULTIPURPOSE HALL OMITTED (II) ISSUED FOR MEASURE	SG
D	2017-12-07	BRAND NAMES REMOVED.	SG
E	2018-03-19	1. VINYL TILES CHANGED TO VINYL SHEETING 2. CARPET TILES OMITTED FROM SCHEDULE. 3. ISSUED FOR INFORMATION.	SG
F	2021-03-01	ISSUED FOR INFORMATION VINYL SHEETING CHANGED TO VINYL TILES 2. VARIOUS & GENERAL UPDATE TO TABLES	DW RJS
G	2022-04-13	ISSUED FOR INFORMATION (RFS) 1. DWG NO. CHANGED FROM 1617 TO 2204	
AA	2022-08-05	ISSUED FOR MEASURE 1. RISER REVISED TO MATCH RDP REV AD 2. POISON ADDED TO SPECIFICATION F7 3. W/ FULL HEIGHT WALL TILES SPEC ADDED FOR AFFILIATIONS 4. SPECIFICATION C31 UPDATED 5. SPECIFICATION F2 AND F3 UPDATED 6. ADDED LOCKER ROOM SPACE TO SANITARY SCHEDULE TO INCLUDING SHOWERS SF11	DW

ISSUED FOR
APPROVAL

PSP

ARCHITECT



ARCHITECTURAL PROFESSIONAL SACAP NUMBERS:
H.L. MANTEL SACAP 3045

IMPLEMENTED BY

**INDEPENDENT
DEVELOPMENT
TRUST**

	SIGNATURE	DATE	SHEET SIZE A1
DESIGNED	*	-	SCALE 1:100
DRAWN	DW	2014-12-12	STATUS/LEGEND I = INFORMATION FM = FOR MEASURE T = TENDER C = CONSTRUCTION AB = AS BUILT
VERIFIED	*	-	
VALIDATED	*	-	

CLIENT



IMPLEMENTING AGENT

PROJECT
DOE PORTFOLIO PROGRAMME
ESTABLISHMENT OF NEW SCHOOLS
HILLBROW - SENIOR SECONDARY SCHOOL

PROVINCE: EASTERN CAPE PROVINCE

DRAWING TITLE

FINISHING AND SANITARY SCHEDULES

Stand Co-Ordinates.:				
EMIS NUMBER	DISCIPLINE	DRAWING NUMBER	STATUS	REVISION
200500293	ARCH	2204 w05-03-600	FA	AA